

定格総荷重(単位:t)
主ブームアウトリガ使用時

アウトリガ張 出幅	アウトリガ最大(6.3m)張出/全週						アウトリガ最大(5.9m)張出/全週						アウトリガ最大(5.1m)張出/全週					
	7.35 m	12.0 0m	16.6 6m	21.3 1m	25.9 7m	30.6 2m	7.35 m	12.0 0m	16.6 6m	21.3 1m	25.9 7m	30.6 2m	7.35 m	12.0 0m	16.6 6m	21.3 1m	25.9 7m	30.62 m
2.50	25.0 0	20.3 0					25.0 0	20.3 0					25.0 0	20.3 0				
3.00	25.0 0	20.3 0	19.0 0	14.4 5			25.0 0	20.3 0	19.0 0	14.4 5			25.0 0	20.3 0	19.0 0	14.4 5		
3.50	25.0 0	20.3 0	19.0 0	14.4 5			25.0 0	20.3 0	19.0 0	14.4 5			25.0 0	20.3 0	19.0 0	14.4 5		
4.00	22.4 0	19.7 5	19.0 0	14.4 5	10.4 5		22.4 0	19.7 5	19.0 0	14.4 5	10.4 5		22.4 0	19.7 5	19.0 0	14.4 5	10.4 5	
4.50	20.0 0	19.1 0	18.0 0	13.8 5	10.4 5		20.0 0	19.1 0	18.0 0	13.8 5	10.4 5		20.0 0	19.1 0	18.0 0	13.8 5	10.4 5	
5.00	11.5 0 /4.9 m	18.5 0	16.7 0	13.2 0	10.4 5	7.00	11.5 0 /4.9 m	18.5 0	16.7 0	13.2 0	10.4 5	7.00	11.5 0 /4.9 m	18.5 0	16.7 0	13.2 0	10.4 5	7.00
5.50		16.9 0	15.6 0	12.6 0	10.4 5	7.00		16.9 0	15.6 0	12.6 0	10.4 5	7.00		15.9 5	15.6 0	12.6 0	10.4 5	7.00
6.00		15.5 0	14.6 0	12.0 0	10.0 0	7.00		15.5 0	14.6 0	12.0 0	10.0 0	7.00		13.2 0	13.4 0	12.0 0	10.0 0	7.00
6.50		14.3 0	13.8 0	11.5 0	9.60	7.00		14.3 0	13.8 0	11.5 0	9.60	7.00		11.2 0	11.4 0	11.5 0	9.60	7.00
7.00		13.2 0	13.0 0	10.9 5	9.20	7.00		12.4 5	12.7 0	10.9 5	9.20	7.00		9.60	9.80	10.3 0	9.20	7.00
7.50		12.2 0	12.2 0	10.4 0	8.80	7.00		10.7 5	11.0 0	10.4 0	8.80	7.00		8.30	8.55	9.00	8.80	7.00
8.00		10.6 5	10.7 0	9.80	8.40	7.00		9.35	9.60	9.80	8.40	7.00		7.25	7.50	7.95	8.40	7.00
8.50		9.35	9.60	9.30	8.05	6.70		8.25	8.50	8.95	8.05	6.70		6.40	6.65	7.05	7.55	6.70
9.00		8.25	8.55	8.80	7.00	6.40		7.30	7.55	8.00	7.70	6.40		5.65	5.90	6.30	6.80	6.40
9.50		7.20	7.65	8.10	7.40	6.15		6.35	6.75	7.20	7.40	6.15		4.90	5.25	5.70	6.14	6.15
10.00			6.90	7.30	7.10	5.90			6.10	6.50	7.00	5.90			4.75	5.15	5.60	5.90
11.00			5.65	6.05	6.55	5.35			5.00	5.40	5.85	5.35			3.85	4.20	4.65	4.95
12.00			4.70	5.10	5.55	4.90			4.10	4.50	4.95	4.90			3.15	3.50	3.95	4.20
13.00			3.90	4.30	4.75	4.50			3.45	3.80	4.25	4.50			2.50	2.95	3.35	3.60
14.00			3.30	3.70	4.10	4.15			2.85	3.25	3.65	3.95			1.95	2.45	2.85	3.15
15.00			3.15 /14.2 m	3.15	3.55	3.85			2.70 /14.2 m	2.75	3.15	3.45			1.85 /14.2 m	1.95	2.45	2.70
16.00				2.70	3.10	3.35				2.30	2.75	3.00				1.55	2.05	2.35
17.00				2.30	2.75	2.95				1.90	2.40	2.65				1.25	1.70	2.05
18.00				1.90	2.40	2.60				1.55	2.05	2.35				0.95	1.40	1.75
19.00				1.60 /18,8 m	2.10	2.35				1.25 /18,8 m	1.75	2.05				0.70 /18,8 m	1.15	1.50
20.00					1.80	2.10					1.45	1.80					0.90	1.25
22.00					1.30	1.60					1.00	1.35					0.55	0.85
24.00					1.00 /23.5 m	1.25					0.75 /23.5 m	0.95						0.55
26.00						0.95						0.65						
28.00						0.70												
30.00						0.70 /28.2 m												
最小ブーム角 度	0°	0°	0°	0°	0°	0°	0°	0°	0°	0°	0°	23°	0°	0°	0°	0°	22°	32°

アウトリガ張出幅 ブーム長さ 作業半径 (m)	アウトリガ中間(3.8m)張出/側方						アウトリガ最小(2.98m)張出/側方						アウトリガ最小(2.12m)張出/側方					
	7.35 m	12.0 0m	16.6 6m	21.3 1m	25.9 7m	30.6 2m	7.35 m	12.0 0m	16.6 6m	21.3 1m	25.9 7m	30.6 2m	7.35 m	12.0 0m	16.6 6m	21.3 1m	25.9 7m	30.6 2m
2.50	25.0 0	20.3 0					25.0 0						13.1 5	12.8 5				
3.00	25.0 0	20.3 0	19.0 0	14.4 5			22.1 0	20.3 0	19.0 0	14.4 5			13.1 5	12.8 5	12.0 0	10.3 0		
3.50	25.0 0	20.3 0	19.0 0	14.4 5			15.9 5	15.3 5	15.6 0	14.4 5	10.4 5		9.90	9.65	9.80	10.3 0		
4.00	19.1 0	18.5 5	18.8 0	14.4 5	10.4 5		12.2 0	11.7 5	11.9 5	12.5 0	10.4 5		7.75	7.50	7.70	8.15	8.50	
4.50	14.8 5	14.4 5	14.6 5	13.8 5	10.4 5		9.70	9.35	9.55	10.0 0	10.4 5		6.20	6.00	6.20	6.60	6.95	
5.00	11.5 0 /4.9 m	11.6 5	11.8 5	12.3 5	10.4 5	7.00	8.05 /4.9 m	7.60	7.80	8.25	8.75	7.00	5.50 /4.9 m	4.90	5.05	5.45	5.80	5.90
5.50		9.60	9.80	10.3 0	10.4 5	7.00		6.35	6.50	6.90	7.40	7.00		4.05	4.20	4.55	4.90	5.05
6.00		8.10	8.25	8.75	9.25	7.00		5.30	5.50	5.90	6.35	6.65		3.35	3.50	3.85	4.20	4.35
6.50		6.90	7.05	7.50	8.00	7.00		4.50	4.65	5.05	5.50	5.80		2.85	2.90	3.30	3.60	3.75
7.00		5.90	6.10	6.55	7.00	7.00		3.85	4.00	4.40	4.80	5.10		2.25	2.45	2.80	3.15	3.30
7.50		5.10	5.30	5.70	6.20	6.50		3.30	3.45	3.80	4.25	4.50		1.80	2.00	2.45	2.75	2.90
8.00		4.45	4.65	5.05	5.50	5.80		2.80	3.00	3.35	3.75	4.00		1.35	1.60	2.05	2.40	2.55
8.50		3.85	4.10	4.45	4.90	5.20		2.40	2.65	2.95	3.30	3.60		1.00	1.25	1.65	2.15	2.25
9.00		3.35	3.60	4.00	4.40	4.70		2.00	2.25	2.60	2.95	3.25		0.70	0.90	1.35	1.85	2.00
9.50		2.85	3.20	3.55	3.95	4.25		1.55	1.90	2.30	2.65	2.90			0.65	1.05	1.55	1.80
10.00			2.80	3.20	3.60	3.90			1.55	2.00	2.35	2.60				0.85	1.30	1.60
11.00			2.10	2.55	2.95	3.25			1.00	1.45	1.95	2.15					0.90	1.20
12.00			1.50	1.95	2.45	2.70			0.55	1.00	1.50	1.75					0.55	0.85
13.00			1.05	1.50	1.95	2.30				0.60	1.10	1.40						0.55
14.00			0.65	1.10	1.55	1.90					0.75	1.10						3.15
15.00			0.55 /14.2 m	0.75	1.20	1.55					0.50	0.80						
16.00					0.90	1.25						0.60						
17.00					0.65	1.00												
18.00						0.75												
19.00						0.65												
20.00																		
最小ブーム角度	0°	0°	0°	37°	44°	47°	0°	0°	33°	46°	50°	55°	0°	22°	47°	57°	58°	62°

定格総荷重(単位:t)
主ブームアウトリガ不使用時

作業条件 作業領域 ブーム長さ 作業半径 (m)	定置ぶり								走行ぶり(2km/h以下)							
	全週				前方				全週				前方			
	7.35 m	12.00 m	16.66 m	21.31 m	7.35 m	12.00 m	16.66 m	21.31 m	7.35 m	12.00 m	16.66 m	21.31 m	7.35 m	12.00 m	16.66 m	21.31 m
3.0	7.65	7.50	7.30	4.50	14.0 0	14.00	9.00	6.50	7.65	6.40	5.10	3.20	13.8 0	10.5	10.30	5.50
3.5	6.05	5.85	5.75	4.50	14.0 0	14.00	9.00	6.50	6.05	5.85	5.10	3.20	12.2 5	10.50	7.50	5.50
4.0	4.80	4.60	4.55	4.50	12.6 0	12.60	9.00	6.50	3.80	3.60	3.50	3.20	9.75	9.25	7.50	5.50
4.5	3.80	3.60	3.50	3.90	11.1 0	11.10	9.00	6.50	2.85 /4.9 m	2.85	2.80	3.20	8.75 /4.9 m	8.05	7.50	5.50
5.0	2.85 /4.9 m	2.85	2.80	12.35	10.0 5 /4.9 m	9.75	9.00	6.50		2.30	2.25	2.80		6.90	6.65	5.50
5.5		2.30	2.25	2.80		8.40	7.75	6.50		2.30	2.25	2.80		6.90	6.65	5.50
6.0		1.95	1.85	2.30		7.10	6.75	6.05		1.95	1.85	2.30		5.80	5.90	5.50
6.5		1.60	1.55	1.95		6.00	5.90	5.55		1.60	1.55	1.95		4.95	5.05	5.05

7.0		1.20	1.20	1.60		5.10	5.00	5.05		1.20	1.20	1.60		4.25	4.35	4.55
8.0		0.55	0.65	1.00		3.70	4.05		0.55	0.65	0.65	1.00		3.20	3.35	3.60
9.0				0.60		2.70	2.80	3.20				0.60		2.45	2.60	2.85
10.0				0.40 /9.5,		2.15 /9.5m	2.10	2.50				0.60		2.05 /9.5m	2.05	2.30
11.0							1.50	1.95							1.50	1.85
12.0							1.05	1.50							1.05	1.50
13.0								0.80								0.80
14.0								0.55								0.55
15.0																
最小ブーム角度	0°	34°	54°	58°	0°	0°	25°	37°	0°	34°	54°	58°	0°	0°	25°	37°

定格総荷重(単位:t)

●ジブ(マニュアルジブの最小オフセット角度は5°になります)

アウトリガ最大(6.3m)張出/全週																					
5.8mジブ						5.8mジブ						5.8mジブ									
ジブ角度	3~5°		25°		45°		ジブ角度	3~5°		25°		45°		ジブ角度	3~5°		25°		45°		
	作業半径	定格	作業半径	定格	作業半径	定格		作業半径	定格	作業半径	定格	作業半径	定格		作業半径	定格	作業半径	定格	作業半径	定格	
ブーム角度	(m)	総荷重	(m)	総荷重	(m)	総荷重	ブーム角度	(m)	総荷重	(m)	総荷重	(m)	総荷重	ブーム角度	(m)	総荷重	(m)	総荷重	(m)	総荷重	
82.0	5.1	4.00	6.9	3.10	8.4	2.13	82.0	5.8	2.30	8.7	2.10	11.0	1.40	82.0	7.1	2.00	10.7	1.25	13.6	1.00	
80.0	6.5	4.00	8.3	3.10	9.6	2.13	80.0	7.2	2.30	10.1	2.10	12.3	1.40	80.0	8.5	2.00	12.1	1.25	14.9	1.00	
75.0	9.7	4.00	11.4	3.10	12.6	2.04	75.0	10.8	2.30	13.4	1.82	15.3	1.35	75.0	12.0	2.00	15.6	1.18	18.1	1.00	
73.5	10.6	4.00	12.3	2.95	13.5	2.01	73.5	11.8	2.30	14.3	1.74	16.2	1.33	73.5	13.1	1.87	16.6	1.15	19.0	1.00	
71.0	12.0	3.80	13.7	2.73	14.8	1.98	71.0	13.4	2.3	15.9	1.62	17.6	1.30	72.0	14.1	1.75	17.5	1.12	19.9	0.97	
70.0	12.6	3.63	14.2	2.65	15.3	1.97	70.0	14.0	2.30	16.5	1.57	18.2	1.28	71.0	14.8	1.70	18.2	1.10	20.5	0.95	
69.0	13.2	3.48	14.8	2.57	15.9	1.96	69.0	14.6	2.28	17.1	1.53	18.7	1.27	69.0	16.1	1.58	19.4	1.06	21.6	0.91	
65.0	15.5	2.93	17.0	2.29	17.9	1.92	65.0	17.1	1.95	19.4	1.39	20.8	1.20	65.0	18.8	1.40	21.9	1.01	23.8	0.84	
62.0	17.1	2.6	18.5	2.12	19.4	1.86	62.0	18.8	1.76	21.0	1.30	22.4	1.15	60.0	21.9	1.20	24.8	0.94	26.4	0.74	
60.0	18.2	2.29	19.5	2.01	20.3	1.79	60.0	20.0	1.65	22.1	1.25	23.3	1.12	55.0	24.9	1.10	27.5	0.88	28.7	0.64	
56.0	20.2	1.70	21.5	1.56	22.2	1.50	56.0	22.2	1.47	24.2	1.16	25.2	1.06	53.0	26.0	1.03	28.5	0.85	29.6	0.60	
55.0	20.7	1.58	22.0	1.45	22.6	1.40	55.0	22.7	1.37	24.7	1.14	25.6	1.05	52.0	26.6	0.95	29.0	0.84	30.0	0.58	
53.0	21.7	1.36	22.9	1.25	23.4	1.21	53.0	23.8	1.17	25.6	1.05	26.5	1.00	51.0	27.1	0.87	29.4	0.77	30.5	0.56	
52.0	22.2	1.26	23.3	1.16	23.9	1.13	52.0	24.3	1.08	26.1	0.97	26.9	0.93	50.0	27.6	0.80	29.9	0.71	30.9	0.54	
50.0	23.1	1.07	24.2	1.00	24.7	0.97	50.0	25.3	0.92	27.0	0.83	27.7	0.80	48.0	28.7	0.67	30.8	0.60	31.6	0.50	
48.0	24.0	0.91	25.0	0.85	25.4	0.83	48.0	26.3	0.77	27.9	0.70	28.5	0.68	45.0	30.2	0.50	31.9	0.45	32.6	0.44	
45.0	25.3	0.70	26.2	0.65	26.4	0.64	45.0	27.7	0.58	29.1	0.53	29.5	0.52	41.0	32.0	0.32	33.3	0.28			
40.0	27.2	0.41	27.9	0.39			40.0	29.8	0.33	31.0	0.30			40.0	32.5	0.27	33.6	0.25			
37.0	28.3	0.28	28.7	0.26			39.0	30.2	0.29	31.4	0.26										
							38.0	30.6	0.25												
最小ブーム角度	37°		37°		45°		最小ブーム角度	38°		39°		45°		最小ブーム角度	40°		40°		45°		

アウトリガ最大(5.9m)張出/側方

5.8mジブ							8.9mジブ							12.0mジブ						
ジブ角度	3~5°		25°		45°		ジブ角度	3~5°		25°		45°		ジブ角度	3~5°		25°		45°	
	作業半径	定格	作業半径	定格	作業半径	定格		作業半径	定格	作業半径	定格	作業半径	定格		作業半径	定格	作業半径	定格	作業半径	定格
ブーム角度	(m)	総荷重	(m)	総荷重	(m)	総荷重	ブーム角度	(m)	総荷重	(m)	総荷重	(m)	総荷重	ブーム角度	(m)	総荷重	(m)	総荷重	(m)	総荷重
82.0	5.1	4.00	6.9	3.10	8.4	2.13	82.0	5.8	2.30	8.7	2.10	11.0	1.40	82.0	7.1	2.00	10.7	1.25	13.6	1.00
80.0	6.5	4.00	8.3	3.10	9.6	2.13	80.0	7.2	2.30	10.1	2.10	12.3	1.40	80.0	8.5	2.00	12.1	1.25	14.9	1.00
75.0	9.7	4.00	11.4	3.10	12.6	2.04	75.0	10.8	2.30	13.4	1.82	15.3	1.35	75.0	12.0	2.00	15.6	1.18	18.1	1.00
73.5	10.6	4.00	12.3	2.95	13.5	2.01	73.5	11.8	2.30	14.3	1.74	16.2	1.33	73.5	13.1	1.87	16.6	1.15	19.0	1.00
71.0	12.0	3.80	13.7	2.73	14.8	1.98	71.0	13.4	2.30	15.9	1.62	17.6	1.30	72.0	14.1	1.75	17.5	1.12	19.9	0.97
70.0	12.6	3.63	14.2	2.65	15.3	1.97	70.0	14.0	2.30	16.5	1.57	18.2	1.28	71.0	14.8	1.70	18.2	1.10	20.5	0.95
69.0	13.2	3.48	14.8	2.57	15.9	1.96	69.0	14.6	2.28	17.1	1.53	18.7	1.27	69.0	16.1	1.58	19.4	1.06	21.6	0.91
65.0	15.5	2.89	17.0	2.29	17.9	1.92	65.0	17.1	1.95	19.4	1.39	20.8	1.20	65.0	18.8	1.40	21.9	1.01	23.8	0.84
62.0	17.1	2.34	18.5	2.11	19.4	1.86	62.0	18.8	1.76	21.0	1.30	22.4	1.15	60.0	21.9	1.20	24.8	0.94	26.4	0.74
60.0	18.2	2.01	19.5	1.81	20.3	1.72	60.0	20.0	1.65	22.1	1.25	23.3	1.12	55.0	24.9	1.01	27.5	0.88	28.7	0.64
56.0	20.2	1.45	21.5	1.33	22.2	1.27	56.0	22.2	1.25	24.2	1.11	25.2	1.05	53.0	26.0	0.85	28.5	0.74	29.6	0.60
55.0	20.7	1.34	22.0	1.23	22.6	1.18	55.0	22.7	1.15	24.7	1.02	25.6	0.97	52.0	26.6	0.77	29.0	0.67	30.0	0.58
53.0	21.7	1.13	22.9	1.04	23.4	1.00	53.0	23.8	0.97	25.6	0.86	26.5	0.82	51.0	27.1	0.70	29.4	0.61	30.5	0.56
52.0	22.2	1.03	23.3	0.95	23.9	0.92	50.0	24.3	0.73	27.0	0.65	27.7	0.63	50.0	27.6	0.63	29.9	0.56	30.9	0.53
50.0	23.0	0.86	24.2	0.79	24.7	0.77	48.0	26.3	0.59	27.9	0.53	28.5	0.52	48.0	28.7	0.51	30.8	0.45	31.6	0.44
48.0	23.9	0.71	25.0	0.65	25.4	0.64	45.0	27.7	0.41	29.1	0.37	29.5	0.37	45.0	30.2	0.35	31.9	0.31	32.6	0.30
45.0	25.2	0.51	26.2	0.47	26.4	0.46	43.0	28.5	0.31	29.9	0.28			44.0	30.7	0.30	32.3	0.27		
41.0	26.7	0.29	27.7	0.27			42.0	29.0	0.26					43.0	31.1	0.26				
最小ブーム角度	41°		41°		45°		最小ブーム角度	42°		43°		45°		最小ブーム角度	43°		44°		45°	

アウトリガ中間(5.1m)張出/側方																				
5.8mジブ							8.9mジブ							12.0mジブ						
ジブ角度	3~5°		25°		45°		ジブ角度	3~5°		25°		45°		ジブ角度	3~5°		25°		45°	
	作業半径	定格	作業半径	定格	作業半径	定格		作業半径	定格	作業半径	定格	作業半径	定格		作業半径	定格	作業半径	定格	作業半径	定格
ブーム角度	(m)	総荷重	(m)	総荷重	(m)	総荷重	ブーム角度	(m)	総荷重	(m)	総荷重	(m)	総荷重	ブーム角度	(m)	総荷重	(m)	総荷重	(m)	総荷重
82.0	5.1	4.00	6.9	3.10	8.4	2.13	82.0	5.8	2.30	8.7	2.10	11.0	1.40	82.0	7.1	2.00	10.7	1.25	13.6	1.00
80.0	6.5	4.00	8.3	3.10	9.6	2.13	80.0	7.2	2.30	10.1	2.10	12.3	1.40	80.0	8.5	2.00	12.1	1.25	14.9	1.00
75.0	9.7	4.00	11.4	3.10	12.6	2.04	75.0	10.8	2.30	13.4	1.82	15.3	1.35	75.0	12.0	2.00	15.6	1.18	18.1	1.00
73.5	10.6	4.00	12.3	2.95	13.5	2.01	73.5	11.8	2.30	14.3	1.74	16.2	1.33	73.5	13.1	1.87	16.6	1.15	19.0	1.00
71.0	12.0	3.72	13.7	2.73	14.8	1.98	71.0	13.4	2.30	15.9	1.62	17.6	1.30	72.0	14.1	1.75	17.5	1.12	19.9	0.97
70.0	12.6	3.41	14.2	2.65	15.3	1.97	70.0	14.0	2.30	16.5	1.57	18.2	1.28	71.0	14.8	1.70	18.2	1.10	20.5	0.95
69.0	13.2	3.12	14.8	2.57	15.9	1.96	69.0	14.6	2.28	17.1	1.53	18.7	1.27	69.0	16.1	1.58	19.4	1.06	21.6	0.91
65.0	15.5	2.25	17.0	1.98	17.9	1.84	65.0	17.1	1.95	19.4	1.39	20.8	1.20	65.0	18.8	1.40	21.9	1.01	23.8	0.84

62.0	17.1	1.70	18.5	1.52	19.4	1.42	62.0	18.8	1.47	21.0	1.25	22.4	1.15	60.0	21.9	1.06	24.8	0.89	26.4	0.74
60.0	18.2	1.40	19.5	1.26	20.3	1.19	60.0	20.0	1.21	22.1	1.04	23.3	0.96	55.0	24.9	0.60	27.5	0.51	28.7	0.47
56.0	20.2	0.92	21.5	0.84	22.2	0.80	56.0	22.2	0.78	24.2	0.68	25.2	0.64	53.0	26.0	0.46	28.5	0.38	29.6	0.36
55.0	20.7	0.82	22.0	0.75	22.6	0.71	55.0	22.7	0.69	24.7	0.60	25.6	0.57	52.0	26.6	0.39	29.0	0.33	30.0	0.31
53.0	21.7	0.64	22.9	0.58	23.4	0.56	53.0	23.8	0.53	25.5	0.46	26.5	0.44	51.0	27.1	0.33	29.3	0.27	30.5	0.26
52.0	22.2	0.56	23.3	0.51	23.9	0.49	52.0	24.3	0.46	26.0	0.40	26.9	0.38	50.0	27.6	0.27				
50.0	23.0	0.41	24.2	0.37	24.6	0.36	50.0	25.3	0.32	26.8	0.28	27.6	0.26							
49.0	23.4	0.34	24.6	0.30	24.9	0.29	49.0	25.8	0.26											
48.0	23.9	0.28																		
最小ブーム 角度	48°		49°		49°		最小ブーム 角度	49°		50°		50°		最小ブーム 角度	50°		51°		51°	

アウトリガ中間(3.8mm)張出/側方																					
5.8mジブ						8.9mジブ						12.0mジブ									
ジブ角度	3~5°		25°		45°		ジブ角度	3~5°		25°		45°		ジブ角度	3~5°		25°		45°		
	作業半径	定格	作業半径	定格	作業半径	定格		作業半径	定格	作業半径	定格	作業半径	定格		作業半径	定格	作業半径	定格	作業半径	定格	
ブーム角度	(m)	総荷重	(m)	総荷重	(m)	総荷重	ブーム角度	(m)	総荷重	(m)	総荷重	(m)	総荷重	ブーム角度	(m)	総荷重	(m)	総荷重	(m)	総荷重	
82.0	5.1	4.00	6.9	3.10	8.4	2.13	82.0	5.8	2.30	8.7	2.10	11.0	1.40	82.0	7.1	2.00	10.7	1.25	13.6	1.00	
80.0	6.5	4.00	8.3	3.10	9.6	2.13	80.0	7.2	2.30	10.1	2.10	12.3	1.40	80.0	8.5	2.00	12.1	1.25	14.9	1.00	
75.0	9.7	3.71	11.4	3.03	12.6	2.04	75.0	10.8	2.30	13.4	1.82	15.3	1.35	75.0	12.0	2.00	15.6	1.18	18.1	1.00	
73.5	10.6	3.15	12.3	2.62	13.5	2.01	73.5	11.8	2.30	14.3	1.74	16.2	1.33	73.5	13.1	1.87	16.6	1.15	19.0	1.00	
71.0	12.0	2.43	13.7	2.07	14.8	1.87	71.0	13.4	2.11	15.9	1.62	17.6	1.30	72.0	14.1	1.75	17.5	1.12	19.9	0.97	
70.0	12.6	2.19	14.2	1.87	15.3	1.69	70.0	14.0	1.90	16.5	1.53	18.2	1.28	71.0	14.8	1.70	18.2	1.10	20.5	0.95	
69.0	13.2	1.96	14.8	1.67	15.9	1.52	69.0	14.6	1.69	17.1	1.37	18.7	1.20	69.0	16.1	1.48	19.4	1.06	21.5	0.91	
65.0	15.5	1.19	17.0	1.04	17.9	0.96	65.0	17.0	1.02	19.4	0.84	20.6	0.75	65.0	18.8	0.89	21.9	0.71	23.6	0.62	
62.0	17.1	0.78	18.5	0.68	19.4	0.63	62.0	18.6	0.65	21.0	0.54	22.1	0.48	61.0	21.0	0.47	24.1	0.37	25.7	0.32	
60.0	18.2	0.55	19.4	0.47	20.2	0.44	60.0	19.8	0.45	22.1	0.36	22.9	0.33	60.0	21.6	0.38	24.6	0.29	26.2	0.26	
58.0	19.1	0.35	20.4	0.30	21.1	0.27	59.0	20.3	0.36	22.6	0.29			59.0	22.1	0.30					
57.0	19.6	0.26					58.0	20.8	0.27												
最小ブーム 角度	57°		58°		58°		最小ブーム 角度	58°		59°		60°		最小ブーム 角度	59°		60°		60°		

